

Gallarzo, Wednesday R

From: Neil Leslie <Neil.Leslie@GASTECHNOLOGY.ORG>
Sent: Thursday, March 12, 2015 9:25 AM
To: Kristjansson, Sue
Subject: RE: CA Fuel Switching Information

Office phone

Neil Leslie
R&D Director, Building Energy Efficiency Gas Technology Institute
1700 South Mount Prospect Road
Des Plaines, IL 60018
neil.leslie@gastechnology.org
847-768-0926 (office)
847-630-0256 (mobile)
847-768-0916 (fax)

-----Original Message-----

From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
Sent: Thursday, March 12, 2015 11:25 AM
To: Neil Leslie
Subject: Re: CA Fuel Switching Information

Okay. I'll call you at 11 my time. Office phone or cell phone?

Sent from my iPhone

> On Mar 12, 2015, at 9:05 AM, "Neil Leslie" <Neil.Leslie@GASTECHNOLOGY.ORG> wrote:

>

> How about 11 AM PDT? I am on a 189.1 call right now.

>

> Neil Leslie

> R&D Director, Building Energy Efficiency Gas Technology Institute

> 1700 South Mount Prospect Road

> Des Plaines, IL 60018

> neil.leslie@gastechnology.org

> 847-768-0926 (office)

> 847-630-0256 (mobile)

> 847-768-0916 (fax)

>

> -----Original Message-----

> From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]

> Sent: Thursday, March 12, 2015 10:32 AM

> To: Neil Leslie

> Subject: Re: CA Fuel Switching Information

>

> Hey Neil, sorry to just be getting back to you by I've been sick with the flu the past week.

>

> Do you have time to chat at about 10 am PST today? If so, what number can I call?

>
> Thanks!
>
> Sent from my iPhone
>
>> On Mar 10, 2015, at 1:10 PM, "Neil Leslie" <Neil.Leslie@GASTECHNOLOGY.ORG> wrote:
>>
>> Sue,
>>
>> Rather than leaving voice messages, I wanted to see when is a good time to talk with you on answers to your question. I am here today and through the rest of this week.
>>
>> Neil Leslie
>> R&D Director, Building Energy Efficiency Gas Technology Institute
>> 1700 South Mount Prospect Road
>> Des Plaines, IL 60018
>> neil.leslie@gastechnology.org
>> 847-768-0926 (office)
>> 847-630-0256 (mobile)
>> 847-768-0916 (fax)
>>
>> -----Original Message-----
>> From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
>> Sent: Thursday, March 05, 2015 3:58 PM
>> To: Neil Leslie
>> Subject: RE: South Carolina
>>
>> K. Cool, thanks.
>>
>> Sue Kristjansson
>> Codes and Standards and ZNE Manager
>> Southern California Gas Co.
>> Telephone: (213) 244-5535
>> Fax: (213) 226-4317
>> Cell: (424) 744-0361
>>
>> Follow us on Twitter Like us on Facebook
>>
>>
>> -----Original Message-----
>> From: Neil Leslie [mailto:Neil.Leslie@GASTECHNOLOGY.ORG]
>> Sent: Thursday, March 05, 2015 12:42 PM
>> To: Kristjansson, Sue
>> Subject: RE: South Carolina
>>
>> We have an analyst from Laclede working on it, and he is still working his way through the software. I don't know what the outcome will be, or exactly when he will be done, but as soon as I find out, I will let you know. It is a priority, so I am hopeful we will get something by next week.
>>
>> Neil Leslie
>> R&D Director, Building Energy Efficiency Gas Technology Institute
>> 1700 South Mount Prospect Road

>> Des Plaines, IL 60018
>> neil.leslie@gastechnology.org
>> 847-768-0926 (office)
>> 847-630-0256 (mobile)
>> 847-768-0916 (fax)

>>
>> -----Original Message-----
>> From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
>> Sent: Thursday, March 05, 2015 1:21 PM
>> To: Neil Leslie
>> Subject: RE: South Carolina

>>
>> Hello my friend.
>>
>> Any news on this?
>>
>> Thanks!

>>
>> Sue Kristjansson
>> Codes and Standards and ZNE Manager
>> Southern California Gas Co.
>> Telephone: (213) 244-5535
>> Fax: (213) 226-4317
>> Cell: (424) 744-0361
>>
>> Follow us on Twitter Like us on Facebook

>>
>> -----Original Message-----
>> From: Neil Leslie [mailto:Neil.Leslie@GASTECHNOLOGY.ORG]
>> Sent: Monday, March 02, 2015 5:49 AM
>> To: Kristjansson, Sue
>> Subject: RE: South Carolina

>>
>> I enjoyed our visit as well. I have asked our analysts to get this information if it can be pulled from the model. I will let you know what is available today or tomorrow.

>>
>> Neil Leslie
>> R&D Director, Building Energy Efficiency Gas Technology Institute
>> 1700 South Mount Prospect Road
>> Des Plaines, IL 60018
>> neil.leslie@gastechnology.org
>> 847-768-0926 (office)
>> 847-630-0256 (mobile)
>> 847-768-0916 (fax)

>>
>> -----Original Message-----
>> From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
>> Sent: Sunday, March 01, 2015 8:11 PM
>> To: Neil Leslie
>> Subject: South Carolina
>>

>> Hey Neil,

>>

>> It was great seeing you in SC!

>>

>> As a follow-up....do you happen to have any deeper dive data regarding the potential for fuel-switching in California? Of course I would love it if you had information as granular as to our service territory or even to Southern California but will take what you've got.

>>

>> I've convened an internal group to assess the furnace NOPR over the next couple of weeks to determine whether this is good, bad or indifferent to our customers and I sure don't want to make that determination/recommendation without all of the info.

>>

>> I know you're in high demand on this issue right now so let me know what kind of timing we're looking at for some SoCal specific data.

>>

>> Thanks!

>>

>> Sent from my iPad

>>

>> _____

>>

>> This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

>>

>> -----

>> - This email originated outside of Sempra Energy. Be cautious of
>> attachments, web links, or requests for information.

>>

>> _____

>>

>> This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

>>

>> -----

>> - This email originated outside of Sempra Energy. Be cautious of
>> attachments, web links, or requests for information.

>>

>> _____

>>

>> This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

>>

>> -----

>> - This email originated outside of Sempra Energy. Be cautious of
>> attachments, web links, or requests for information.

>

> _____

>

> This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

>

> -----

> This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.