

Garcia, Daniela

From: Eilert, Patrick <PLE2@pge.com>
Sent: Tuesday, June 27, 2017 3:46 PM
To: Kristjansson, Sue
Subject: [EXTERNAL] RE: RE: RE: Discussion re: Tub Spout Comments

Okay. I am at my desk if you want to ring me. Ready when you are.
530 757 5261

From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
Sent: Tuesday, June 27, 2017 3:44 PM
To: Eilert, Patrick
Subject: RE: RE: RE: Discussion re: Tub Spout Comments

*******CAUTION:** This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*****

Might end up being just you and me. I'm trying to raise Michelle but she hasn't responded.

Kate has a meeting.

From: Eilert, Patrick [mailto:PLE2@pge.com]
Sent: Tuesday, June 27, 2017 3:26 PM
To: Kristjansson, Sue <SKristjansson@semprautilities.com>
Cc: Thomas, Michelle <Michelle.Thomas@sce.com>; Zeng, Kate <KZeng@semprautilities.com>
Subject: [EXTERNAL] RE: RE: RE: Discussion re: Tub Spout Comments

Yes.

From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]
Sent: Tuesday, June 27, 2017 3:24 PM
To: Eilert, Patrick
Cc: Thomas, Michelle; Zeng, Kate
Subject: Re: RE: RE: Discussion re: Tub Spout Comments

*******CAUTION:** This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*****

Sorry all. I got delayed. Anyone available at 4? If so, I'll set up a call.

Sent from my iPhone

On Jun 27, 2017, at 11:28 AM, Eilert, Patrick <PLE2@pge.com> wrote:

Sue-
I can jump on a call at 3:00 if need be.
Thanks.
Pat

From: Kristjansson, Sue [<mailto:SKristjansson@semprautilities.com>]
Sent: Tuesday, June 27, 2017 9:30 AM
To: Eilert, Patrick
Cc: Thomas, Michelle; Zeng, Kate
Subject: Re: RE: Discussion re: Tub Spout Comments

*******CAUTION:** This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*****

I would like to have a conversation specific to those late comments.

Sent from my iPhone

On Jun 27, 2017, at 8:33 AM, Eilert, Patrick <PLE2@pge.com> wrote:

Sue-

During the appliance standards discussion yesterday, Daniela agreed to provide a CASE study development plan. Also, I think the AS team is planning to discuss the potential to submit late comments to the ITP. Seems like the team is on track.

Are there other issues?

Thanks.
Pat

From: Kristjansson, Sue [<mailto:SKristjansson@semprautilities.com>]
Sent: Monday, June 26, 2017 9:15 PM
To: Eilert, Patrick; Thomas, Michelle; Zeng, Kate
Subject: Discussion re: Tub Spout Comments

*******CAUTION:** This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*****

Hey there,

Do you guys have some time to chat tomorrow afternoon on this issue? I think we need to ensure that we are on the same page for the meeting with the CEC staff on Wednesday.

I am at ASHRAE until about 2 p.m. but can definitely do a call by phone while I'm driving home. Do you think you can each do 3 p.m.?

Thanks!
Sue

Sent from [Mail](#) for Windows 10

We respect your privacy. Please review our privacy policy for more information.
<http://www.pge.com/en/about/company/privacy/customer/index.page>

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

We respect your privacy. Please review our privacy policy for more information.

<http://www.pge.com/en/about/company/privacy/customer/index.page>

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

We respect your privacy. Please review our privacy policy for more information.

<http://www.pge.com/en/about/company/privacy/customer/index.page>

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

We respect your privacy. Please review our privacy policy for more information.

<http://www.pge.com/en/about/company/privacy/customer/index.page>

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.