

From: [Zhang, Yanda](#)
To: [Hunt, Marshall](#)
Cc: [Anderson, Mary](#); [Bijit Kundu \(BKundu@energy-solution.com\)](#); [Bryan Boyce \(ES\) \(bboyce@energy-solution.com\)](#)
Subject: RE: DOE Furnace Standard
Date: Friday, May 15, 2015 8:57:07 AM

Marshall,

Welcome back! Any time after 2pm this afternoon works for me.

Yanda Zhang
Direct: 916.844.1103

From: Hunt, Marshall [mailto:MBH9@pge.com]
Sent: Friday, May 15, 2015 8:53 AM
To: Zhang, Yanda
Cc: Anderson, Mary; Bijit Kundu (BKundu@energy-solution.com); Bryan Boyce (ES) (bboyce@energy-solution.com)
Subject: DOE Furnace Standard

Yanda

We need to fire up the next stage of your analysis concerning furnaces. The focus will be on the benefits and cost to CA ratepayers of 92 AFUE. PG&E will lead on this and not wait for SCG who appears to be on the path of opposing any improvement in AFUE. Let me know when we can talk.

This afternoon could work.

Marshall B. Hunt
Professional Mechanical Engineer
Codes & Standards
Pacific Gas & Electric Company
415-260-7624
mbh9@pge.com

PG&E is committed to protecting our customers' privacy.
To learn more, please visit <http://www.pge.com/about/company/privacy/customer/>
