

From: [Hunt, Marshall](#)
To: [Eilert, Patrick L](#); [Anderson, Mary](#)
Subject: FW: furnaces
Date: Tuesday, November 17, 2015 6:01:54 AM

Pat and Mary

Given the sensitivity of the issue I recommend that one of us attend the call. I will be inside of airplane so cannot attend.

It would be good to notify Andrew of your plan to attend.

Andrew is doing a good job keeping us informed.

Marshall B. Hunt
Professional Mechanical Engineer
Codes & Standards
Pacific Gas & Electric Company
415-260-7624
mbh9@pge.com

From: Andrew deLaski [<mailto:adelaski@standardsasap.org>]
Sent: Tuesday, November 17, 2015 5:55 AM
To: Hunt, Marshall
Subject: Re: furnaces

Alert: This message originated outside of PG&E. Use caution when opening attachments, clicking links or responding to requests for information.

call in [206-402-0821](tel:206-402-0821) then code 9660261

Andrew deLaski
Appliance Standards Awareness Project
www.appliance-standards.org
(617) 363-9470

On Tue, Nov 17, 2015 at 8:53 AM, Andrew deLaski <adelaski@standardsasap.org> wrote:
Hi Marshall: a few of us have a meeting with industry on furnaces tomorrow at AGA. No movement since you and I last talked, and I don't expect movement tomorrow. We have a touch base call for our team at 5 pm today -- I know your are in transit today, but please feel free to join if you can/would like. - Andrew

Andrew deLaski
Appliance Standards Awareness Project
www.appliance-standards.org
[\(617\) 363-9470](tel:617-363-9470)